

NOTICE INVITING QUOTATION

Khejuri College Baratala, Purba Medinipur, Pin – 721431


Memo No: KC/NIQ/12/2024

Date: 10.04.2024

Sealed quotations are hereby invited from genuine suppliers for the supply of Projectors for Departmental Class Room and UPS for Computers according to the following list. The date and time for submitting quotations is from 10.04.2024 to 18.04.2024 from 11 am to 2.30 pm. At the drop box of Khejuri College. The quotationopening date is on the same day (18.04.2024) at 3 pm. After due

consideration of cost and quality, the supplier will be chosen within a short time.

| | | uality,the supplier will be chosen within a short time. | |
|--------|-----------------|--|--------|
| Serial | Name of Item | Particulars | Total |
| No. | | | Volume |
| 1. | Projectors | Projection System: 3LCD Technology, RGB liquid crystal shutter; | 01 |
| | with HDMI | LCD Panel:0.55 inch with C2 Fin; Colour Light Output: 3,600 | Pieces |
| | Port, | Lumen-2,400 Lumen (economy); White Light Output:3,600Lumen; | |
| | complete | Resolution: XGA, 1024 x 768, 4:3; Native Contrast: 16,000 : 1 | |
| | installation & | Lamp: UHE, 210 W, 6,000 h durability, 12,000 h durability | |
| | Integration | (economy mode); Keystone Correction: Auto vertical: +/- 300, | |
| | with HDMI | Manual Horizontal: +/- 300; Colour Reproduction: Upto 1.07 | |
| | Cable, Power | billion colour; Throw Ratio:1.48-1.77:1; Zoom: Manual, Factor: | |
| | Cable and | 1.2; Screen Size: 30inches - 300 inches; Projection Lens F Number: | |
| | Stand | 1.49 -1.72; Projection Lens Focal Length: 16.9 mm - 20.28 mm; | |
| | | Offset: 08:01; USB Display Function: 2 in 1: Image / Sound; | |
| | 3 years on | Interfaces: USB 2.0 Type B, RS-232C, Ethernet Interface (100 | |
| | Projector, | Base-TX/ 10 Base-T), Wireless LAN a/n, 5GHz (optional), VGA in | |
| | Lamp: 1 year | (2x), VGA out, HDMI in, Composite in, Stereo mini jack audio out, | |
| | or 1,000 hours | Stereo mini jack audio in (2x), Cinch audio in, USB 2.0 Type A; | |
| | whichever is | Other Features: AV Mute Slide, Automatic keystone correction, | |
| | earlier. Onsite | Built-in speaker, Digital zoom, Direct power, on/off, Document | |
| | warranty | camera compatible, Easy OSD pre-setting, Horizontal and vertical | |
| | | keystone correction, Network projection, OSD copy function, PC | |
| | | Free, Quick Corner, Split-Screen-Function, iProjection App. | |
| 2. | 600 VA line | Voltage: 220-230 VAC; Voltage Range: 140-300 VAC; Frequency | 10 |
| | interactive | Range:50 Hz; AC Voltage Regulation (Batt. Mode): ±10%; | Pieces |
| | UPS | Frequency Range (Batt. Mode): 50 Hz ±1 Hz; Transfer Time: | |
| | | Typical 2-6 ms; Waveform (Batt. Mode): Simulated Sine Wave; | |
| | 2 Years | Overload: 110% +/-10%; Shutdown: after 5 mins; Battery Type & | |
| | Onsite | Number: 12 V/7 Ah x 1; Typical Recharge Time: 6-8 hours up to | |
| | warranty | 90% capacity; Minimum line break for transfer to battery: Typical | |
| | required | 4-8 msec; AC Mode: Green lighting; Battery Mode: Green flashing; | |
| | | Fault: Red lighting; Battery Mode, Low Battery, Overload, Battery | |
| | | replacement, fault: Audible alarm is provided | |
| | | Full Protection: Overload, discharge, and overcharge protection; | |
| | | Dimension, D X W X H (mm): 279 X 101 X 142; Net Weight | |
| | | (kgs): 4.2; Material: Semi Metallic; Operating Environment:0-40 | |
| | | Deg C.; Storage Temp: -15°C to 50°C; Humidity: 0-95 % RH @ 0- | |
| | | 40°C (non-condensing); Noise Level: Less than 40dB; CE, ROHS: | |
| | | Not available; BIS registration: Available; NABL Approved | |
| | | government lab test report: Available | |





NOTICE INVITING QUOTATION

Khejuri College

Baratala, Purba Medinipur, Pin - 721431

Memo No: KC/NIQ/11/2024

Date: 10.04.2024

Terms and Conditions for submission of Tender Paper for supplying of Items:

- The rate of items must be written in both words and figures clearly and differently. Overwriting/correction, if any, must be authenticated with the signature of the supplier.
- 2. The supply of items must be made to the Principal, Khejuri College, Baratala, Purba Medinipur, PIN-721431.
- 3. The rate must include all taxes, sur-charges, if any, and carriages up to the Khejuri College, Baratala, Purba Medinipur.
- 4. Copy of PAN Card must be enclosed with the quotation paper.
- 5. GST Challan of must be enclosed with the quotation paper.
- 6. Copy of Trade License to carry on business must be produced with the quotation paper.
- 7. The undersigned reserves the right to accept any or reject any or all the quotation without assigning any reason thereof.
- 8. The undersigned also reserves the right to distribute the work among the suppliers.
- 9. The undersigned will not take any risk if the quotation documents are received beyond the prescribed date and time.
- 10. The items must be supplied within seven days from the date of receipt of supply order.
- 11. No quotation will be accepted from individual/s attached to the college by any means.
- 12. No.s of articles to be supplied are subject to change as per requirement.

Sarroma Grapta

Principal Khejuri College, Baratala, Purba Medinipur, PIN-721431.

Copy to

- 1. Khejuri College website
- 2. Khejuri College Notice Board, Baratala, Purba Medinipur.

Principal
Khejuri College

